



Hushmand Associates, Inc.
250 Goddard
Irvine, CA 92618

p. (949) 777-1266
w. haieng.com
e. hai@haieng.com

LABORATORY SCHEDULE OF FEES

TYPE OF TEST	METHOD
INDEX PROPERTIES	
Visual Classification	(ASTM D2488)
Moisture Content	(ASTM D2216)
Moisture Content & Density	(ASTM D2937)
a) Shelby Tube Sample	
b) Other Samples	
Particle-Size Analysis of Soils	(ASTM D6913, D7928)
a) Sieve Only	
b) Sieve and Hydrometer	
Percent Passing # 200 Sieve	(ASTM D1140)
Atterberg Limits	(ASTM D4318)
a) Multi Points	
b) One Point	
c) Non Plastic	
Specific Gravity	(ASTM D854)
Sand Equivalent	(ASTM D2419)
Expansion Index	(ASTM D4829)
SOIL CHEMISTRY	
Corrosion Set 1 (Soil pH, Min-Resistivity, Sulfate, Chloride)	(ASTM G187, D516, D512B, G51, G200 SM 4500-E, 4500-C, 4500-D)
Corrosion Set 2 (Set1 + Nitrate, Ammonia, Sulfide, Redox)	
Corrosion Set 3 (Set 2 + Elec Conductivity & Chemical Analysis)	(CTM 643, 417, 422)
COMPACTION	
Standard Proctor Compaction	(ASTM D698)
a) 4" Mold	
b) 6" Mold	
Modified Proctor Compaction	(ASTM D1557)
a) 4" Mold	
b) 6" Mold	
STRENGTH TESTS	
R Value	(CTM 301)
Unconfined Compression	(ASTM D2166)
<i>Sample Remolding for Unconfined Compression</i>	
Direct Shear, per point	(ASTM D3080)
a) Unconsolidated (Q Test)	
b) Consolidated (Q Test)	
c) Consolidated, Drained	
d) Residual - per point	
<i>Sample Remolding for Direct Shear</i>	
Triaxial, per point	
Consolidated, Undrained	(ASTM D4767)
Unconsolidated, Undrained	(ASTM D2850)
<i>Sample Remolding for Triaxial</i>	

LABORATORY SCHEDULE OF FEES (Continued)

CONSOLIDATION	
Consolidation	(ASTM D2435)
a) Up to 10 load/unload increments, one time reading	
b) Each additional time reading	
c) Each additional load increment	
<i>Sample Remolding for Consolidation</i>	
Collapse Potential	(ASTM D5333)
<i>Sample Remolding for Collapse Potential</i>	
Swell or Settlement Potential	(ASTM D4546)
<i>Sample Remolding for Swell or Settlement Potential</i>	
PERMEABILITY	
Constant Head	(ASTM D2434)
<i>Sample Remolding for Constant Head</i>	
Flexible Wall	(ASTM D5084)
<i>Sample Remolding for Flexible Wall</i>	
OTHER TESTS	
Total Porosity	(API RP 40)
Fraction of Organic Carbon	(Walkley-Black Method)
Compression Tests on Cylinder	(ASTM D4832)
Carbonate Content	(ASTM D3042)